

NEPTUNE Chandelier

PRODUCT ORDERING CODE



PRODUCT FEATURES

- 4" Ø frosted or clear glass globes
- CREE COB CRI 90+ available in 2700K | 3000K | 3500K | 4000K
- Cord option is available in various colours
- Chandelier available with standard sizes and multiple head configurations
- Head heights are adjustable
- Customizable canopy and fixture head configurations
- 5 year product warranty on LED products
- Rated for damp location



Project	
Type	
Quantity	
Note	

PRODUCT CODE		LIGHT SOURCE		CANOPY	
NPR3	Neptune Chandelier - 3 heads	COB9027K	Per head: 3W LED 2700K CRI 90+ 308 nominal lumens	C12	Round canopy 12" Ø x 1.5" H <i>Compatible with NPR3</i>
NPR5	Neptune Chandelier - 5 heads	COB9030K	Per head: 3W LED 3000K CRI 90+ 326 nominal lumens	C18	Round canopy 18" Ø x 2" H <i>Compatible with NPR5, NPR7 or NPR9</i>
NPR7	Neptune Chandelier - 7 heads	COB9035K	Per head: 3W LED 3500K CRI 90+ 342 nominal lumens	S12	Square canopy 12" x 12" x 1.5" <i>Compatible with NPR5</i>
NPR9	Neptune Chandelier - 9 heads	COB9040K	Per head: 3W LED 4000K CRI 90+ 356 nominal lumens		

CORD		GLASS		DIMMING		VOLTAGE		FINISH	
AGC	Anthracite gray cord	CFG	Frosted glass	D010	0-10V 1% dimming LED driver (4 wires)	120V/277V	120V-277V Universal voltage electronic LED driver	01	White paint
PWC	Pearly white cord	CPG	Clear glass	PHS	Forward/Reverse Phase 1% LED dimming driver (2 wire) <i>(only available in 120V)</i>	120V	Electronic LED driver (PHS Phase dimming)	02	Black paint
SBC	Silky black cord			NODIM	No dimming option required			08	Dark mat bronze paint
SGC	Satin gold cord							12	Antique gold paint
								21	Polished gold plated
								22	Brushed gold plated
								24	Brushed nickel plated
								31	Polished nickel plated

CUSTOM MODIFICATIONS


- Reduced wattage and lumen options available
- 48" stems instead of cords
- More color cord options or longer cables available
- Dali control protocol, contact factory for details
- Lutron EcoSystem/3-wire dimming LED driver
- Customizable finishes, sizes and LED specifications
- Remote driver

NEPTUNE Chandelier


PRODUCT SPECIFICATION




TECHNICAL DRAWING(S)




CFG- OPTION | CPG- OPTION




NPR3_C12




NPR5_C18



NPR7_C18



NPR9_C18



NPR5_S12

DIMENSIONS & WEIGHT

NPR3_C12	H: 78" W: 12" Ø Net Wt. 9 lbs.
NPR5_C18	H: 78" W: 18" Ø Net Wt. 18 lbs.
NPR7_C18	H: 78" W: 18" Ø Net Wt. 20 lbs
NPR9_C18	H: 78" W: 18" Ø Net Wt. 24 lbs
NPR5_S12	H: 78" W (A): 12" W (B): 12" Net Wt. 16 lbs.

OTHER SPECIFICATIONS

- Standard 72" long color cord is field adjustable (AGC, PWC, SBC, SGC)
- C12 includes a painted mounting canopy 10" Ø x 1.5"
- C18 includes a painted mounting canopy 16" Ø x 2"
- S12 includes a painted mounting canopy 10.5" x 10.5" x 1.5"
- Standard overall height is 78"
- UL Certified and suitable for damp location

INSTALLATION REQUIREMENTS

- Driver(s) concealed within canopy
- Mounts to a standard 4" octagonal electrical junction box or plaster ring

LIGHT SOURCE SPECIFICATIONS

- Electronic constant current LED power supply
- COB CREE LED: consistent binning that falls within 2 MacAdam ellipse
- COB Life, L70 > 61 000 hrs at 70% lumen maintenance
- Integral Class II driver
- Thermally managed within manufacturer specifications to maximize LED life
- No ultraviolet or infrared, alleviating potential damage to art, fabric & materials
- Electrical components are mercury free and are RoHS compliant

COMPATIBLE DIMMER LIST

Compatibility dimmer list available on our website:
www.hemeralighting.com/dimming


NEPTUNE Chandelier

PRODUCT SPECIFICATION

PHOTOMETRIC DATA


COB3W9035K (PER HEAD - CFG)

Nominal LED Source Wattage: 3W
System wattage: 3.5W
Color accuracy: CRI 90+
Light Color: 3500° K
Delivered lumens: 241 lm
Luminaire efficacy: 62.7 lm/w



COB3W9035K (PER HEAD - CPG)

Nominal LED Source Wattage: 3W
System wattage: 3.5W
Color accuracy: CRI 90+
Light Color: 3500° K
Delivered lumens: 245 lm
Luminaire efficacy: 69.8 lm/w



COLOR TEMP. MULTIPLIER

2700K	0.90
3000K	0.95
3500K	1.00
4000K	1.04

CUSTOM CHANDELIERS

Elevate your space with a chandelier crafted exclusively for you. From bespoke canopy dimensions to impeccably tailored cable lengths and sculptural 3D forms, we design luminous installations that transform your project into a statement of sophistication.

